


Drucker-AG KaWo 3 e.V. Updated on: 2020-02-05

Printer Setup on macOS Catalina (10.15)

In KaWo 3, the printer is located at house 2 (Kastanienweg 10), to the right of the mailboxes. Before printing a file, ensure that you have **enough credits** at drucker.kawo3.de. You can recharge your account at an office hour (for the time being in cash without change).

Downloading the driver

1. Navigate to [this webpage](#).
2. Click on the name of the driver and accept the licensing agreement.



The screenshot shows the Xerox support website for the VersaLink C7020/C7025/C7030 Multifunction Printer. The page is titled "VersaLink C7020/C7025/C7030 Multifunction Printer Support & Drivers". The "Drivers & Downloads" tab is selected. Under the "File Download: macOS Common Driver Installer" section, the following details are provided:

- Filename: XeroxDrivers_5.4.2_2138.dmg
- Version: 5.4.2(2138)
- Date: Dec 23, 2019
- Size: 88.9 MB

The "Supported Platforms" section lists: macOS 10.13 - High Sierra, macOS 10.14 - Mojave, macOS 10.15 - Catalina. The "Supported Languages" section lists: Brazilian Portuguese, Bulgarian, Catalan, Chinese (Simplified), Chinese (Traditional), Croatian, Czech, Danish, Dutch, English (Global), English (N. America), Finnish, French, French Canadian, German, Greek, Hungarian, Italian, Japanese, Korean, Norwegian, Polish, Portuguese, Romanian, Russian, Spanish, Swedish, Turkish, Ukrainian. The "Supported Products" section lists: Xerox Color C60/C70 Integrated Color Server, WorkCentre 7525 built-in controller, Xerox Color 550/560/570 built-in controller, Xerox FreeFlow™ Print Server (iGen5), Xerox D95 built-in controller, Xerox D136 built-in controller, WorkCentre 7755 built-in controller, WorkCentre 78xx built-in controller, Xerox Color 8250 FreeFlow Print Server, Xerox AltaLink C8000 Series Built-in Controller, Xerox FreeFlow Print Server and DocuSP (iGen), Xerox D95 FreeFlow Print Server, Xerox Versant 180 Press FreeFlow Print Server, Xerox Versant 80 FreeFlow Print Server, Xerox Versant 3100 FreeFlow Print Server, Xerox Color C75 FreeFlow Print Server, Xerox.

The "End User License Agreement" section contains the following text:

IMPORTANT PLEASE READ CAREFULLY BEFORE USING THIS PRODUCT: THIS SOFTWARE LICENSE AGREEMENT ("Agreement") CONTAINS THE LICENSE TERMS AND CONDITIONS FOR THE XEROX SOFTWARE AND RELATED DOCUMENTATION (collectively "Software").

IF YOU DOWNLOAD, INSTALL OR USE THE SOFTWARE, YOU AGREE TO BE LEGALLY BOUND BY THE FOLLOWING TERMS AND CONDITIONS. IF YOU DO NOT ACCEPT THESE LICENSE TERMS YOU MAY NOT DOWNLOAD, INSTALL OR USE THE SOFTWARE AND YOU MUST DELETE ANY SOFTWARE FILES ACCESSED BY YOU OR A THIRD PARTY ON YOUR BEHALF FROM ANY AND ALL COMPUTER MEMORY INTO WHICH SUCH SOFTWARE HAS BEEN LOADED OR STORED.

When used in this agreement the term "Xerox" shall mean Xerox Corporation, its operating companies, subsidiaries and affiliates.

If you are installing the Software on behalf of the end user you must agree that you are acting as an agent of the end user customer before proceeding. As agent for the end user you hereby agree that you have either: 1) read and agree to the terms of this Agreement as authorized by the end user, or 2) you have made the end user aware of the license terms and the end user has explicitly accepted them.

1. LICENSE GRANT.

a. Xerox grants to you a non-exclusive, non-transferable license to use the Software on the Xerox-brand equipment ("Equipment") on which it was delivered or, if delivered separately, on a single item of equipment. You have no other rights to the Software and may not: (1) distribute, copy, modify, create derivatives of, decompile, or reverse engineer Software; (2) activate Software delivered in an

At the bottom of the license agreement, there are two buttons: "accept" and "decline". A red arrow points to the "accept" button. Above the buttons, the text reads: "Click 'Accept' to download, click 'Decline' to cancel."

Installing the driver

1. Open the downloaded file ending with **.dmg** and the installer inside.



XeroxDrivers_5.4.
2_2138.dmg
93,2 MB




Xerox Drivers 5.4.2.pkg


1. Follow the dialog to install the driver.
 1. Accept the prompt to determine if the software can be installed.



2. Continue with the installation process.
3. Agree to the licence agreement.
4. Enter your password to install the new software.




5. On older versions of macOS (this guide does not support them), you might be asked to select & setup a printer right after the installation. Try skipping it. Otherwise, the process should end with a summary.



2. Move the installer to the bin.
3. Close the summary.


Adding the printer

1. Open '**System Preferences**' and navigate to the '**Printers & Scanners**' page.




Easy way:

1. Click the '+' button to add a new printer.




2. Select the 'Xerox VersaLink C7020 (90:46:f9)'. Do **NOT** pick the one ending in (90:0c:5a).




3. **Optional:** Rename the printer into something memorable (drucker.kawo3.de for the rest of this guide).
4. Confirm the printer selection by pressing 'Add'.

Alternatively, if the easy way doesn't work:

1. Open the **IP** section on the printer page.




2. Enter the printer address: **drucker.kawo3.de** (1).




3. Select the software to use with the printer (2).




4. Search for 'Xerox VersaLink C7020'.



5. Confirm the selection (1) and click 'OK' (2).




6. Confirm the printer selection by pressing 'Add'.




Printing a document


1. Open a document you want to print.
2. Open the print dialog.
3. Select the printer just added.




4. Navigate to the 'Xerox Features'.




5. **Optional:** On the '**Paper/Output**' page, select the color of the document.






1. Turn the feature '**Xerox Black and White**' on to print in grayscale.




2. Leave the feature turned off to print in color.

6. Go to the '**Advanced Features**' page.
7. Open the '**Accounting**' dialog.



1. Enter your username as the '**Default User ID**' (3).
2. Enter the passcode as the '**Default Account ID**' (4).
3. Confirm with 'OK' to exit the dialog. Your credentials (username and passcode) will be stored after completing your first print.



8. Hit 'Print'. You might be asked to authorise this print.